Technology Never Stops!　技术 从未止步

TAIWAN
UNION PLASTIC

HS-D

Two-Platen Multi-Component IMM

1050-3350T



HONZEN UNION PLASTIC (ZHEJIANG) MACHINERY CO., LTD.

333 Heting Street, Lin'an District, Hangzhou City, Zhejiang Province, China

www.taiwanunionplastic.com

marketing@tup-global.com

TUP . 202512 . 01A

TECHNOLOGY NEVER STOPS!

TECHNOLOGY NEVER STOPS!

TECHNOLOGY NEVER STOPS!

TECHNOLOGY NEVER STOPS!

TUP

TUP , It is one of the most advanced injection molding equipment manufacturers and complete system solution providers in China.

TUP provides the machines ranging from 90 to 6,600 tons, with the machine matrix of All-electric, Hybrid electric, Multi-components, Two / Three platens, which covers almost all main applications in automotive, packaging, medicals, engineering, 3C, home appliance, logistics etc.

The headquarter is located in hangzhou, zheiiang province, and the other remaining 15 branch offices, sales & service offices are located in China, SEA, America, Europe, Affrica provide the nearby service to our customers.

With regarding to the capability, we have 200,000 square meters of manufacturing base, staffs over 500, annual machine output over 60,000 sets, R&D teams with around 100 skilled people, and annual R&D investment over 50 million of RMB, which coming to 100+ patents and more are on the que.

Technology, never stopping has always been our driving force to proceed.We are striving efforts to make constant progress, taking environmental protection, energy saving and high efficiency as our responsibilities, and are committed to providing customers with more comprehensive and valuable application solutions.

80,000+
Annual Sales by Sets

100+
Service Regions

6,000+
Annual Capacity

200,000㎡
Factory Area

HS-D

Two-Platen Multi-Component IMM

Two-platen structure with ultra-large mold capacity, suitable for large-scale and multi-color mold products.

Modular injection unit combinations enable multi-component injection processes from two-color to five-color.

Rotary table diameter of 3000mm with a maximum load capacity of 38 tons.

Compact machine structure with a small footprint.

10,500-33,500kN



MORE APPLICATIONS

- Ertical rotary table structure with servo motor control ensures high production precision and convenient installation/maintenance.
- Rotary table support device enables stable production with heavier molds, guaranteeing efficient and stable operation.
- Two-platen structure leverages the advantages of two-platen machines, compatible with large molds for automotive parts, home appliances, etc.
- Multi-angle injection units allow flexible combinations for mixed-color, multi-color, sandwich, and overmolding applications.